




BLAST HOSE

Heavy Execution / Extra Heavy Execution



The Airblast Blast Hose range comprises of the highest quality hose manufactured in the most popular diameters and available in two executions. All Airblast Blast Hose features an antistatic outer case and a lightweight internal knitted nylon ply – this gives the optimum combination of durability, cost and safety.

Executions

Heavy execution: Most popular blast hose with excellent tube quality making it suitable for use with all abrasives.

Extra heavy execution: Premium quality blast hose especially suitable for use with sharp edged hard abrasives.

Features

- Long service life due to wear resistant inner tube
- Antistatic construction prevents the build-up of static electricity
- SBR cover in black colour with cloth effect finish

Specifications

Cover	: SBR, black, antistatic, cloth impression
Reinforcement	: Textile wrapped
Tube	: NR/SBR/BR, black, smooth, antistatic, abrasion resistant
Working pressure	: 12 bar
Safety Factor	: 3.5 : 1
Temperature range	: -35°C. / +80°C.
Wear factor	: Heavy Execution = 50 mm ³ (according to DIN ISO 4649:2006) Extra Heavy Execution = 36 mm ³ (according to DIN ISO 4649:2006)

Standards: Exceeds EN ISO 3861:2008.

Airblast offers a full selection of blast hoses as well as other hoses used in blast cleaning and paint spraying operation – contact Airblast to discuss which hose is most suitable for your specific application.

SEFLID, une source unique pour tous vos besoins

**Pulvérisation
& Marquage**



Basse pression



Air assisté



Airless

**Transfert
& Extrusion**



Cuves sous pression



Agitateurs



Pompes à membranes



Pompes à piston

Dosage



Pompe péristaltique



Pompe à piston



Applicateur - Doseur



Pompe à engrenages

Cabines



Sèches



Table d'aspiration



Rideau eau



Filtres cabines

**Electro
Poudre et liquide**



Pulvérisation



Cabines manu et auto



Electro liquide

Sablage



Sableuses



Protection



Accessoires

**Etudes
Conceptions spéciales**



Pulvérisation



Transfert



Dosage



Robotisation

SEFLID

Société d'Équipement pour Fluide Industriel

15, Route Nationale – OTTERSWILLER – 67700 SAVERNE

Tél. ☎+33 03 88 91 84 84 – Fax. ☎+33 03 88 71 25 03

Visitez notre site Web : www.seflid.com



Blast Hose - Heavy Execution

Part no.	Description	ID		OD in mm	Wall width in mm	Weight approx. kg./mtr.	Available lengths in mtr.
		mm	inches				
2506000	Blast Hose 13 x 7	13	½"	27	7	0,50	5 / 10 / 20 / 40
2506100	Blast Hose 19 x 7	19	¾"	33	7	0,65	20 / 40
2507000	Blast Hose 25 x 7	25	1"	39	7	0,75	20 / 40
2508000	Blast Hose 32 x 8	32	1¼"	48	8	1,10	20 / 40
2509000	Blast Hose 38 x 9	38	1½"	56	9	1,45	40
2510000	Blast Hose 42 x 9	42	1¾"	60	9	1,65	40
2511000	Blast Hose 50 x 11	50	2"	72	11	2,20	40

Blast Hose - Extra Heavy Execution

Part no.	Description	ID		OD in mm	Wall width in mm	Weight approx. kg./mtr.	Available lengths in mtr.
		mm	inches				
2512000	Blast Hose 13 x 7	13	½"	27	7	0,50	5 / 10 / 20 / 40
2502100	Blast Hose 19 x 7	19	¾"	33	7	0,65	20 / 40
2513000	Blast Hose 25 x 7	25	1"	39	7	0,80	20 / 40
2514000	Blast Hose 32 x 8	32	1¼"	48	8	1,10	20 / 40
2515000	Blast Hose 38 x 9	38	1½"	56	9	1,50	40
2516000	Blast Hose 42 x 9	42	1¾"	60	9	1,65	40
2517000	Blast Hose 50 x 11	50	2"	72	11	2,40	40